



**CROWN**  
BATTERY  
SINCE 1926

**NEW.WAVE.**  
*Marine Batteries*

*The Power Behind Performance*

**AS TOUGH AS THEY COME**

Taking on All the Elements  
and All Applications...

with  
**UNMATCHED  
POWER.**





The Power Behind Performance

# Making Waves.

**In the marine battery business, you've got to have what it takes to deliver.**

And that's power. Since 1926 Crown Battery has serviced battery markets all over the world. With dependable batteries that deliver unmatched power when you turn the key.

Our Marine Batteries are proof. We're offering a whole new lineup of marine Starter, Severe Duty and Deep Cycle batteries that deliver the high to very high CCAs and running power that are needed in today's marine industry. Our design team took elements from several of our high performance batteries and blended them into a dynamo especially for the marine industry.

We've taken a whole new look at our marine line.

And so should you.

Crown Marine Batteries. Rugged. Dependable. Safe. Smart buyers know that heavy-duty, Made in America batteries can handle the waves coming at them...

We're ready. Are you?



MAR-1000



24HDC95

- **CleanFit™ Maintenance Free Cover**

The CleanFit™ cover design affords clean, maintenance-free operation, ease of fitment – and a durable recessed handle for safe handling and installation.

- **Innovative Terminals**

Heavy duty terminals resist corrosion and optimize durability and efficiency in tough operating environments.

- **PosiWrap™ Envelope Separators**

PosiWrap™ separators reduce maintenance and prevent failure due to short-circuiting and plate shedding, ensuring reliability and durability.

- **Tough Connectors**

Thicker SolidCast™ COS, TTP and Terminal Post connectors for premium performance and reliability.

- **SolidCast™ Plate Construction**

Crown's full frame SolidCast™ grids utilize uniform wire thickness across the grid structure to hold and retain active materials for longer life and better reliability.




27SDC-XD



31DC-XD



31DTSDC-XD







# Seasonal Marine Battery Specifications

BCI Group	Model Description	Item Number	Electrical Capacity				Inches			Millimeters			Weight		Product Footnotes
			MCA Rating	CCA Rating	RC Minutes	AH Capacity	L	W	H	L	W	H	Lbs	Kgs	
<b>MARINE SEVERE DUTY BATTERIES - Maintenance Free</b>															
24	24SDC-XD	SD24XD	685	550	100 / 25A	75	10.19	6.81	9.50	259	173	241	38	17.2	DHJMT
27	27SDC-HD	SD27HD	750	600	110 / 25A	80	12.95	6.81	9.38	329	173	238	46	20.9	DIJMT
	27SDC-XD	SD27XD	1000	800	140 / 25A	90	12.95	6.81	9.38	329	173	238	53	24.0	DIJMT
31	31DTSDC-HD	SD31DTHD	1155	925	180 / 25A	100	13.00	6.75	9.38	330	171	238	58	26.3	DHJMT
	31SDC-HD	SD31HD-S	1155	925	180 / 25A	100	13.00	6.75	9.38	330	171	238	58	26.3	FHJMT
	31DTSDC-XD	SD31DTXD	1250	1000	190 / 25A	110	13.00	6.75	9.38	330	171	238	60	27.2	DHJMT
8D	8SDC-XD (M)	SD8DXD-M	1810	1450	430 / 25A	225	20.75	11.00	10.38	527	279	264	128	58.1	DIJMT

BCI Group	Model Description	Item Number	Electrical Capacity			Inches			Millimeters			Weight		Product Footnotes	
			MCA Rating	CCA Rating	RC Minutes	L	W	H	L	W	H	Lbs	Kgs		
<b>MARINE STARTER BATTERIES - Maintenance Free</b>															
24	MAR-500	SM24RD	560	450	65 / 25A	10.19	6.81	9.50	259	173	241	35.0	15.9	DHJM	
	MAR-800	SM24HD	810	650	105 / 25A	10.19	6.81	9.50	259	173	241	40.5	18.4	DHJM	
	MAR-1000	SM24XD	1000	800	120 / 25A	10.19	6.81	9.50	259	173	241	45.5	20.6	DHJM	

BCI Group	Model Description	Item Number	Electrical Capacity				Inches			Millimeters			Weight		Product Footnotes
			MCA Rating	CCA Rating	RC Minutes	AH Capacity	L	W	H	L	W	H	Lbs	Kgs	
<b>MARINE DEEP CYCLE BATTERIES - Low Maintenance</b>															
24	24DC-XD	D24XD	625	500	130 / 25A	80	11.06	6.81	9.38	281	173	238	45.5	20.6	DIJL
	24HDC95	D12095	780	625	140 / 25A	95	11.06	6.81	9.38	281	173	238	50.0	22.7	DIJL
27	27DC-HD	D27HD	625	500	135 / 25A	85	12.95	6.81	9.38	329	173	238	46.5	21.1	DIJL
	27DC-XD	D27XD	780	625	160 / 25A	95	12.95	6.81	9.38	329	173	238	52.0	23.6	DIJL
	27HDC115	D12115	875	700	180 / 25A	115	12.95	6.81	9.38	329	173	238	58.0	26.3	DIJL
31	31DC-XD	D31XD	935	725	170 / 25A	105	13.00	6.75	9.38	330	171	238	60.0	27.2	DIJL
	31HDC130	D12130	1000	800	200 / 25A	130	13.00	6.75	9.38	330	171	238	65.0	29.5	DIJL

Specifications effective as of January 1, 2018.



**FOOTNOTES KEY:**

- D** = Standard Terminal (Dual Automotive / Stainless Steel Threaded Terminal)
- F** = 3/8" x 16 Stainless Steel Threaded
- H** = CleanFit™ Flush Manifold Vented Cover
- I** = Cover with POD Vent
- J** = Includes Handle
- L** = Antimony Alloy Construction / Low Maintenance Service
- M** = Maintenance-Free Calcium Alloy Construction
- T** = TightPack Cell Construction

Because Crown Battery is continually improving its products, specifications are subject to change without notice. The most current product information is listed on the seller's website at [www.crownbattery.com](http://www.crownbattery.com). The information included on the website may amend and supersede the information in this brochure. Purchasers are encouraged to visit the website to view the most current information



1445 Majestic Drive | P.O. Box 990  
 Fremont, OH 43420-0990 USA  
 +1-419-334-7181 | Fax +1-419-334-7124  
[www.crownbattery.com](http://www.crownbattery.com)  
[commercial@crownbattery.com](mailto:commercial@crownbattery.com)